

# ***Product Standard***

## **General Interworking: Transport Service (XTI) V2**

*The Open Group*

*Copyright © January 1998, The Open Group*

All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the copyright owners.

Motif,<sup>®</sup> OSF/1,<sup>®</sup> UNIX,<sup>®</sup> and the "X Device",<sup>®</sup> are registered trademarks and IT DialTone<sup>™</sup> and The Open Group<sup>™</sup> are trademarks of The Open Group in the U.S. and other countries.

Product Standard

General Interworking: Transport Service (XTI) V2

Document Number: X98GV

Published in the U.K. by The Open Group, January 1998.

Any comments relating to the material contained in this document may be submitted to:

The Open Group  
Apex Plaza  
Forbury Road  
Reading  
Berkshire RG1 1AX  
U.K.

Or by email to:

[OGSpecs@opengroup.org](mailto:OGSpecs@opengroup.org)

---

# **Product Standard**

---

## **NAME**

Transport Service (XTI) V2

## **LABEL FOR LOGO**

No label.

## **DESCRIPTION**

This Product Standard provides a single programming interface to a variety of transport services: OSI, TCP/IP, UDP/IP, NetBIOS. It thereby facilitates the writing of distributed applications, independent of network technology. It is an enhancement to the Transport Service (XTI) Product Standard.

The enhancements are:

- Changes to remove any hardware data-length dependencies or restrictions. This is known as Data Size Neutral (or N-bit clean). It is of particular relevance to the ongoing move to 64-bit CPUs.
- A number of other improvements including some that are incorporated in the extensions to IEEE 1003.1 being defined by the IEEE P1003.1g project. At the time of publication of the Networking Services, Issue 5 Specification,<sup>1</sup> the P1003.1g extensions to IEEE 1003.1 were not yet ratified by the IEEE, and attempts were being made to align them and the Networking Services, Issue 5 Specification.

Although a number of the defined features do depend to a greater or lesser extent on the underlying protocol, these are clearly described in the referenced specification, which also includes guidance on writing protocol-independent application software.

## **CONFORMANCE REQUIREMENTS**

### **Human-Computer Interface**

Not applicable.

### **Portability Interface**

Networking Services, Issue 5 Specification, Chapters 1 to 7 inclusive.

---

1. CAE Specification, January 1997, Networking Services, Issue 5 (ISBN: 1-85912-165-9, C523).

## Programming Language Environment

C Language. If the Portability Environment is Internationalized System Calls and Libraries Extended or Internationalized System Calls and Libraries Extended V2, the dialect is ISO C, in which case ISO C source programs invoking the services of this Product Standard must be supported by the registered product.

## Interoperability

- Data Interchange Formats

None.

- Communications Interfaces and Protocols

Products conforming to the Transport Service (XTI) V2 Product Standard shall be available in configurations that support at least one of the following:

- ISO/IEC ISP 10608-2:1992, Information Technology — International Standardized Profiles TAnnnn — Connection-mode Transport Service over Connectionless-mode Network Service — Part 2: TA51 Profile, including Subnetwork-dependent Requirements for CSMA/CD Local Area Networks (LANs).
- ISO/IEC ISP 10608-5:1992, Information Technology — International Standardized Profiles TAnnnn — Connection-mode Transport Service over Connectionless-mode Network Service — Part 5: Definition of Profiles TA1111/TA1121 including Subnetwork-dependent Requirements for X.25 Packet-switched Data Network using Virtual Calls.
- ISO/IEC ISP 10609-6:1992, Information Technology — International Standardized Profiles TB, TC, TD, TE — Connection-mode Transport Service over Connection-mode Network Service — Part 6: Definition of Profiles TC1111/TC1121.
- ISO/IEC ISP 10609-7:1992, Information Technology — International Standardized Profiles TB, TC, TD, TE — Connection-mode Transport Service over Connection-mode Network Service — Part 7: Definition of Profiles TD1111/TD1121.
- TCP/IP
- UDP/IP

Guidance on the Internet Protocol Suite may be found in the Guide to the Internet Protocol Suite.<sup>2</sup>

Support for other protocol profiles or protocols, for example, NetBIOS, can be declared in the Conformance Statement.

---

2. Guide, April 1991, Guide to the Internet Protocol Suite (ISBN: 1-872630-08-1, G110).

**OPERATIONAL ENVIRONMENT**

Not applicable.

**PORTABILITY ENVIRONMENT**

Internationalized System Calls and Libraries, Internationalized System Calls and Libraries Extended, or Internationalized System Calls and Libraries Extended V2.

**OVERRIDING STANDARDS**

None.

**INDICATORS OF COMPLIANCE**

A Test Report from a currently authorized release of the VST5 Test Suite.

**MIGRATION**

Mainly upwards-compatible from Transport Service (XTI). There are a few minor incompatibilities arising from alignment with the emerging formal standard and the Data Size Neutral enhancements.

